

# M270 Series





## The perfect hybrid



Designed with the future of customer engagement in mind, the M270 Series protects your investment by powering both fixed and mobile customer journeys.



The result of years of experience in the mobile tablet arena, the integrated retractable hand strap and balanced weight distribution delivers perfect ergonomic use, while the wide variety of technology options makes it suitable for just about any customer journey.

### System

-  **Motherboard**  
F63 / F12
-  **Screen sizes**  
11.6" / 13.3"
-  **Storage**  
128GB eMMC / 32GB eMMC
-  **Memory**  
up to 8GB RAM



### Certification



Protecting the planet together...



Committed to environmental care



Environmental Management compliance with ISO 14001



Community and Social Responsibility

## Here's the detail...

System	M276		M278		
<b>Motherboard</b>	F63	F12	F63	F12	
<b>CPU</b>	Whiskey Lake Celeron 4305U	SnapDragon450	Whiskey Lake Celeron 4305U*	Whiskey Lake Core i3-8145U	SnapDragon450
<b>Memory</b>	DDR4 4GB	LPDDR3 3GB	DDR4 4GB	DDR4 8GB	LPDDR3 3GB
<b>Storage</b>	128GB eMMC	32GB eMMC	128GB eMMC	32GB eMMC	
<b>LCD size</b>	11.6"		13.3"		
<b>Brightness</b>	250 nits				
<b>Resolution</b>	1920×1080				
<b>Wireless LAN + BT</b>	802.11 a/b/g/n/ac 2.4G/5GHz, BT4.0+LE				
<b>USB type-C</b>	1 (data transfer only)				
<b>Mic</b>	1				
<b>DC</b>	1				
<b>POGO I/O port</b>	16-pin POGO				
<b>2D scanner</b>	1 (Option : Honeywell 3601)				
<b>Extension port</b>	MSR / iButton / Fingerprint / RFID				

	DOCKING PRO	DOCKING PLUS	DOCKING PRO	DOCKING PLUS
<b>I/O ports</b>	<b>Front</b> USB 2.0 × 1 (Type A)	<b>Front</b> USB 2.0 × 1 (Type A)	<b>Front</b> USB 2.0 × 1 (Type A)	<b>Front</b> USB 2.0 × 1 (Type A)
	<b>Rear</b> COM (RS232, 0V/5V/12V) × 2 LAN (RJ-45) x1 USB 2.0 × 0 (Type A) USB 3.0 × 2 (Type A) Type C x1 (data only 3.0) PUSB 24V x1 PUSB 12V x1 Cash drawer x1	<b>Rear</b> COM (RS232, 0V/5V/12V) × 2 LAN (RJ-45) × 1 USB 2.0 × 2 (Type A) USB 3.0 × 0 (Type A) Type C × 1 (data only 2.0) PUSB 24V × 1 PUSB 12V × 1 Cash drawer × 1	<b>Rear</b> COM (RS232, 0V/5V/12V) × 2 LAN (RJ-45) × 1 USB 2.0 × 0 (Type A) USB 3.0 × 2 (Type A) Type C × 1 (data only 3.0) PUSB 24V × 1 PUSB 12V × 1 Cash drawer × 1	<b>Rear</b> COM (RS232, 0V/5V/12V) × 2 LAN (RJ-45) × 1 USB 2.0 × 2 (Type A) USB 3.0 × 0 (Type A) Type C × 1 (data only 2.0) PUSB 24V × 1 PUSB 12V × 1 Cash drawer × 1

\*available for qualified projects only. Speak to your Account Manager for further details.

<b>Speaker</b>	1 × 1W			
<b>Sensor</b>	G-sensor			
<b>LED indicator</b>	1			
<b>Rear camera (optional)</b>	5MP			
<b>Battery</b>	7268mAh, 3.85V (Max. Charging Power=27.98Wh)			
<b>Power adapter</b>	Tablet only - 12V/36W			
<b>Hand strap</b>	1			
<b>EMC &amp; safety</b>	FCC Class B, CE Mark Class B, LVD, RF			
<b>Operating temperature</b>	<b>Non charging mode:</b> 0 C ~ 40 C (32 F ~104 F) <b>Charging mode:</b> 0 C ~ 35 C (32 F ~ +95 F)			
<b>Storage temperature</b>	-10 C ~ 45 C (14 F ~ 114 F)			
<b>Humidity</b>	20% - 80% RH non-condensing			
<b>Dimensions</b>	276 × 179 × 15.4mm		312.5 × 200 × 15.4mm	
<b>Weight</b>	800g		980g	
<b>Windows</b>	Windows 10 2019 ×64	N/A	Windows 10 2019 ×64	N/A
<b>Android</b>	N/A	9	N/A	9

PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE